

09/682,225

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,786,364 B2
DATED : September 7, 2004
INVENTOR(S) : McBride

Page 1 of 4


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page illustrating a drawing figure should be deleted, and substitute therefor title page illustrating a figure as shown on the attached sheet.

Delete drawing sheets 1&2 and substitute therefore drawing sheets 1&2. (Attached)

Signed and Sealed this

First Day of February, 2005



JON W. DUDAS
Director of the United States Patent and Trademark Office

(12) **United States Patent**
McBride

(10) Patent No.: **US 6,786,364 B2**
(45) Date of Patent: **Sep. 7, 2004**

(54) **TRANSPORTABLE STORAGE WITH AN
AUTONOMOUS DISPENSING SYSTEM**

(76) Inventor: **Dale McBride, P.O. Box 1374,
Morgantown, WV (US) 26507**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/682,225**

(22) Filed: **Aug. 8, 2001**

(65) **Prior Publication Data**

US 2003/0029888 A1 Feb. 13, 2003

(51) Int. Cl.⁷ **B65D 35/56; B67D 5/42;
G01F 11/00**

(52) U.S. Cl. **222/389; 222/386.5; 222/96;
222/105**

(58) Field of Search **222/95, 96, 386.5,
222/389, 105**

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,743,056 A 1/1930 Whitaker
2,209,570 A 7/1940 Kraft
2,451,911 A 10/1948 Braden
2,612,924 A 10/1952 Cunningham
2,615,487 A 10/1952 Cunningham
2,724,418 A 11/1955 Krupp
2,744,043 A 5/1956 Ramberg
2,848,133 A 8/1958 Ramberg
2,851,075 A 9/1958 Palfe
2,854,048 A 9/1958 Cunningham
2,865,419 A 12/1958 Cunningham
2,969,102 A 1/1961 Cunningham
2,991,815 A 7/1961 Pfeiffer
3,009,566 A 11/1961 Oakley
3,423,254 A 3/1964 Babby et al.
3,178,050 A 4/1965 Doeringhaus
3,282,361 A 11/1966 Muckie
3,334,676 A 8/1967 Girard
3,339,803 A 9/1967 Wayne et al.
3,400,741 A 9/1968 Robinson et al.
3,404,813 A 10/1968 Waxman
3,468,731 A 9/1969 Oheda

3,478,952 A 11/1969 Perlman
3,504,827 A 4/1970 Larson
3,550,708 A 2/1971 Cook
3,592,360 A 7/1971 Aleck
3,722,751 A 3/1973 Bisciglia
3,921,674 A 11/1975 Logan et al.
3,982,573 A 9/1976 Jones
4,010,783 A 3/1977 Raiston
4,213,545 A 7/1980 Thompson et al.
4,216,881 A 8/1980 Rosman
4,468,812 A 8/1984 Grosvenor
4,522,235 A 6/1985 Kluss et al.
4,567,918 A 2/1986 Cuiet
4,597,425 A 7/1986 Tally
4,690,306 A 9/1987 Staheli
4,714,178 A 12/1987 Bohl et al.
4,732,299 A 3/1988 Hoyt
4,817,830 A * 4/1989 Yavorsky 222/386.5
4,826,045 A 5/1989 Price et al.
5,115,947 A 5/1992 McDonnell
5,230,566 A 7/1993 Jackson et al.
5,344,045 A * 9/1994 Richter et al. 222/386.5
5,398,851 A * 3/1995 Sencott et al. 222/386.5
5,435,468 A * 7/1995 Clark, II 222/389
5,499,743 A 3/1996 Blumenkron
5,647,510 A 7/1997 Keller
6,129,236 A * 10/2000 Osokin et al. 222/386.5

* cited by examiner

Primary Examiner—Kevin Shaver


Assistant Examiner—Stephanie L. Willat

(74) *Attorney, Agent, or Firm*—Jackson Kelly PLLC;
Monika J. Hussell

(57) **ABSTRACT**

The system of the present invention has a flexible bladder designed to provide for the transfer of liquids from a storage/transport unit to vehicles without the necessity of pumps and/or motors. The system includes a flexible, collapsible bladder that uses compressed gas or air, or a pressurized liquid, to pressurize the unit. The bladder is constructed with a flexible internal diaphragm which extends from a portion of the interior of the bladder, and separates the ends of the bladder. The system further comprises removable means to inject air, gas or fluid into the first end of the bladder and removable means to inject and expel the fluid stored in the second end of the bladder.

11 Claims, 4 Drawing Sheets






Figure 2

